

### REMARKS

This communication is in response to the outstanding Office Action dated December 31, 2003. Claims 22-26 and 28-46 were rejected under 35 USC § 103 using McFarland in view of Rose. Claims 1-20 were canceled in an earlier response without prejudice or disclaimer. The Office Action indicates that claim 27 is objected to and would be allowable if written in independent form.

#### Request for Reconsideration

Applicant requests a reconsideration of the obviousness rejection of claims 22-26 and 28-46.

#### Canceled Claims

Claim 21 is canceled without prejudice or disclaimer.

#### Amendments

Claims 22-28, 32-40 and 44-46 are amended to remedy formal errors in the claims, such as formatting and spacing. The only substantive change to the claims is broadening by replacing means-for-function language with apparatus language and other changes to clarify the claims. The amendments are not to be construed as an admission by Applicant of the correctness of the rejection.

#### Obviousness Rejection of Claims 22-46

The Patent Office has the burden under 35 U.S.C. § 103 to establish a *prima facie* case of obviousness. *In re Fine*, 837 F.2d 1071, 1074, 5 USPQ2d 1596, 1598 (Fed. Cir. 1988). To establish a *prima facie* case of obviousness, the Patent Office must show that some objective teaching in the prior art or some knowledge generally available to one of ordinary skill in the art would lead an individual to combine the

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

relevant teaching of the references. *Id.*

The *Fine* court stated that:

Obviousness is tested by "what the combined teaching of the references would have suggested to those of ordinary skill in the art." *In re Keller*, 642 F.2d 413, 425, 208 USPQ 871, 878 (CCPA 1981)). But it "cannot be established by combining the teachings of the prior art to produce the claimed invention, absent some teaching or suggestion supporting the combination." *ACS Hosp. Sys.*, 732 F.2d at 1577, 221 USPQ at 933. And "teachings of references can be combined *only* if there is some suggestion or incentive to do so." *Id.* (emphasis in original).

The M.P.E.P. adopts this line of reasoning, stating that

In order for the Patent Office to establish a *prima facie* case of obviousness, three base criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art reference (or references when combined) must teach or suggest all the claim limitations. The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure. *M.P.E.P.* § 2142 (citing *In re Vaeck*, 947 F.2d 488, 20 USPQ2d 1438 (Fed.Cir. 1991)).

An invention can be obvious even though the suggestion to combine prior art teachings is not found in a specific reference. *In re Oetiker*, 24 USPQ2d 1443 (Fed. Cir. 1992). At the same time, however, although it is not necessary that the cited references or prior art specifically suggest making the combination, there must be some teaching somewhere which provides the suggestion or motivation to combine prior art teachings and applies that combination to solve the same or similar problem which the claimed invention addresses. One of ordinary skill in the art will be presumed to know of any such teaching. (See, e.g., *In re Nilssen*, 851 F.2d 1401, 1403, 7 USPQ2d 1500, 1502 (Fed. Cir. 1988) and *In re Wood*, 599 F.2d 1032, 1037,

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

202 USPQ 171, 174 (CCPA 1979)).

Applicant respectfully submits that the Office Action did not make out a *prima facie* case of obviousness for the following reasons:

- (1) even if combined, the cited references fail to teach or suggest all of the elements of Applicant's claimed invention;
- (2) The cited references teach away from Applicant's claimed invention;
- (3) There is no suggestion to combine the cited references because a suggestion to combine must come from the prior art and not from Applicant's specification or impermissible hindsight; and
- (4) The claimed invention has not been considered as a whole.

**(1) cited references fail to teach or suggest all of the elements of Applicant's claimed invention**

The Office Action states that "Rose discloses that the use of a tuning adjustment device comprising a means for bringing at least string proper playing pitch from an untensioned conditioned at least one pitch tuning quickly is well known in the art (column 6, lines 6-20)."

Rose discloses a tremolo that is brought to a normal position by tension created by tuning pegs (17) on strings attached to one side of the fulcrum tremolo and by tension of biasing springs (30) on another side of the fulcrum tremolo (col. 3 line 41-51). The fulcrum tremolo of Rose is not brought into normal position by a singular tuning adjustment device that is a part of the stringed musical instrument, but rather by outside forces created by two separate components, the pegs and the springs. Further, Rose discloses a fine tuner for a fulcrum tremolo where the strings have been first tuned by the tuning keys, and then clamped in a condition where the tuning keys no longer function (col. 1 lines 32-52).

Rose discloses making *subtle* changes in the tension of the strings created by the tuning pegs when the strings are clamped. As such, the tuning that Rose discloses

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

is limited to fine tuning or a manner "as to change the tension of the string" (col. 2 line 17). Thus, fine tuners do not have ability to raise tension of strings from an untensioned condition to a pitched condition, especially so when the strings are clamped as disclosed.

Claims 22-44 require "an untensioned condition." However, McFarland and in particular, Rose do not disclose "an untensioned condition" because each require a string to be tensioned at playing pitch by a separate device "tuning keys or the like" (col. 1 lines 20-23) such as tuning pegs in order to work at all before the clamped condition is achieved on the Rose tremolo. This is a serious and distinct deficiency in the disclosure of McFarland and Rose. The reference must teach or suggest all the claim elements. M.P.E.P. § 2142 (citing *In re Vaack*, 947 F.2d 488, 20 USPQ2d 1438 (Fed.Cir. 1991)). Therefore, on this point alone claims 22-44 are allowable.

**(2) The cited references teach away from Applicant's claimed invention**

Not only does McFarland fail to disclose all the elements of claims 22-44, but McFarland describes a "tool or device" that is temporarily attached to the Rose fulcrum tremolo for allowing the adjustment of the harmonic tuning of an individual string while clamped and under tension which would otherwise be impossible. See column 2, lines 20-44, of US Patent 4,611,523. The references do not teach or suggest a stringed musical instrument that comprises an adjustment device for bringing a string to playing pitch, as recited in claims 22-44 because the disclosed tool of McFarland cannot be modified to be integral to the string musical instrument.

A factor cutting against a finding of motivation to combine or modify the prior art is when the prior art teaches away from the claimed combination. A reference may be said to teach away when a person of ordinary skill, upon reading the reference, would be discouraged from following the path set out in the reference, or would be led

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

in a direction divergent from the path the Applicant took. *In re Gurley*, 27 F.3d 551, 31 USPQ 2d 1130, 1131 (Fed. Cir. 1994); *United States v. Adams*, 383 U.S. 39, 52, 148 USPQ 479, 484 (1966); *In re Spinnoble*, 405 F.2d 578, 587, 160 USPQ 237, 244 (C.C.P.A. 1969); *In re Caldwell*, 319 F.2d 254, 256, 138 USPQ 243, 245 (C.C.P.A. 1963).

McFarland describes a device or tool that that is temporarily attached to the Rose fulcrum tremolo for allowing the adjustment of the harmonic tuning of an individual string while clamped and under tension which would otherwise be impossible. Rose describes a fine tuning apparatus that functions as a bridge. Where subtle changes to the tension of each individual string can be made while clamped in such a prerequisite condition there is no possibility of tensioning string from an untensioned condition. The references teach away from the claimed combination because the device or tool is not integral to the stringed musical instrument and performs no other function than for setting the intonation of the individual strings.

**(3) There is no suggestion to combine the cited references**

The Rose patent provides no suggestion or motivation for achieving pitch tuning a string from an untensioned condition from a mechanism that both supports and provides harmonic tuning at subtle pitch changes for the musical instrument when the string are clamped. The McFarland patent provides no suggestion or motivation and in point of fact teaches away from using a mechanism for providing pitch tuning a string from an untensioned condition of a musical instrument by only teaching a separate and distinct tool for harmonic tuning of the Rose fulcrum tremolo where the strings are clamped and thus preventing such a possibility.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

**(4) The claimed invention has not been considered as a whole**

In determining the differences between the prior art and the claims, the question under 35 U.S.C. 103 is not whether the differences themselves would have been obvious, but whether the claimed invention as a whole would have been obvious. *Stratoflex, Inc. v. Aeroquip Corp.*, 713 F.2d 1530, 218 USPQ 871 (Fed. Cir. 1983); *Schenck v. Nortron Corp.*, 713 F.2d 782, 218 USPQ 698 (Fed. Cir. 1983); *Interconnect Planning Corp. v. Feil*, 774 F.2d 1132, 1143, 227 USPQ 543, 551 (Fed. Cir. 1985); MPEP § 2141.02. The examiner has not provided a basis of how the disclosure of McFarland can be modified to teach tensioning the string to playing pitch from an untensioned condition. Applicant's claim recites a mechanism for tensioning a string to playing pitch from an untensioned condition for a stringed musical instrument so as to achieve a playing condition for the instrument. McFarland is not a permanent part of a musical instrument. Rose does not provide a mechanism for achieving playability by tensioning a string to playing pitch from an untensioned condition. Neither references provide a teaching for a combination that tensions a string to playing pitch from an untensioned condition for a stringed musical instrument.

Therefore, Applicant submits that the rejection of McFarland in view of Rose is not supported by any teaching in the art of record. The examiner has failed to meet the prima facie burden of obviousness by failing to take the claims as a whole, considering the destruction of the references if combined, and failing to interpret the element of applicant's claim of tuning adjustment device comprising a first portion for bringing said at least one string to playing pitch.

Claims 22-46 are in a state of allowance. Applicant respectfully requests a Notice of Allowance for the application.

If any issues remain that prevent issuance of this application, the Examiner is urged to contact the undersigned attorney Michael G. Smith at 202-595-1444 x2.

---


Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

RECEIVED  
CENTRAL FAX CENTER  
**OFFICIAL** JUN 29 2004

Reply under 37 CFR 1.116  
Expedited Procedure  
Technology Center 2800

Respectfully Submitted,



Dated: June 29, 2004 By:

Michael G. Smith  
45,368  
Ramirez and Smith  
1090 Vermont Ave. NW., #800  
Washington, DC. 20005  
(202) 595-1444 x2

*Certificate of Transmission*

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. 703-872-9306 on June 29, 2004.

Typed or printed name of person signing this certificate:

Michael G. Smith

Signature:



Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

**Claim Listing under 37 C.F.R. 1.121(c):**

Cancel claim 21 and amend claims 22-28, 32-40 and 44-46 as follows and in accordance with 37 C.F.R. 1.121(c), by which the Applicant submits the following marked up version only for claims being changed by the current amendment, wherein the markings are shown by strikethrough (for deleted matter) and/or underlining (for added matter).

**Amendment to Claims**

Claim 21 (canceled)

Claim 22 (currently amended) A stringed musical instrument comprising:

a body,

a neck extending outwardly from said body,

a head located opposite said body on said neck,

at least one string extending from said body to said head, said at least one string

having a first end and a second end,

a first mechanism on said head for supporting and forming a first critical point

for said at least one string,

a second mechanism on said body for supporting and forming a second critical

point for said at least one string,

said first end secured to said head and said second end secured to said body,

and

a tuning adjustment device comprising:

a first portion to tension said at least one string to playing pitch from an

untensioned condition to at least one pitch tuning quickly, and

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett



a second portion to further tension said at least one string at playing pitch,  
wherein said second portion is in close proximity to said first portion,  
~~An apparatus of claim 21~~  
wherein said tuning adjustment device is located on said body, and said tuning adjustment device further comprises: [[ ]]  
at least one anchor connected with said second end, and  
at least one additional separate means third portion for pivoting said at least one anchor about an axis that is transverse to the axis of said at least one string in a first direction for to tensioning said at least one string to said at least one pitch tuning.

Claim 23 (currently amended) A stringed musical instrument comprising:

a body,  
a neck extending outwardly from said body,  
a head located opposite said body on said neck,  
at least one string extending from said body to said head, said at least one string having a first end and a second end,  
a first mechanism on said head for supporting and forming a first critical point for said at least one string,  
a second mechanism on said body for supporting and forming a second critical point for said at least one string,  
said first end secured to said head and said second end secured to said body,  
and  
a tuning adjustment device comprising:  
a first portion to tension said at least one string to playing pitch from an untensioned condition to at least one pitch tuning quickly, and

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

a second portion to further tension said at least one string at playing  
pitch,

wherein said second portion is in close proximity to said first portion,

~~An apparatus of claim 21~~

wherein said tuning adjustment device is located on said head, and said tuning  
adjustment device further comprises: [[ ]]

at least one anchor connected with said first end, and at least one  
~~additional separate means~~

third portion for pivoting said at least one anchor about an axis that is  
transverse to the axis of said at least one string in a first direction  
~~for~~ to tensioning said at least one string to said at least one pitch  
tuning.

Claim 24 (currently amended) Apparatus of claim 23 wherein said tuning adjustment  
device further comprises at least one lock to impede pivoting said at least one  
~~additional separate means~~ third portion in a second direction.

Claim 25 (currently amended) Apparatus of claim 24 wherein said at least one lock  
allows pivoting of said at least one ~~second separate means~~ third portion in said  
first direction while impeding pivoting of said at least one ~~additional separate  
means~~ third portion in said second direction.

Claim 26 (currently amended) Apparatus of claim 24 wherein said at least one lock  
further comprises a plurality of spaced-apart stops to impede pivoting said at  
least one ~~additional separate means~~ third portion in said second direction.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

Claim 27 (currently amended) Apparatus of claim 24 wherein said at least one lock further comprises at least one tooth ~~a plurality of teeth~~ formed on said at least one ~~second separate means~~ third portion that cooperates with at least one tooth to impede pivoting said at least one ~~additional separate means~~ third portion in said second direction.

Claim 28 (currently amended) Apparatus of claim 23 wherein said ~~separate means~~ second portion further comprises at least one tuner ~~for varying to vary~~ the tension of said at least one string while said at least one ~~additional separate means~~ third portion is in a ~~fixed location~~ locked position.

Claim 29 (currently amended) Apparatus of claim 28 wherein said at least one tuner further comprises a thumbscrew.

Claim 30 (currently amended) Apparatus of claim 28 wherein said at least one tuner further comprises a continuously variable element ~~for continuously varying to~~ continuously vary the tension in said at least one string.

Claim 31 (currently amended) Apparatus of claim 28 wherein said at least one tuner adjusts the position of said anchor.

Claim 32 (currently amended) Apparatus of claim 23 further comprising:

a nut, and

a bridge,[[ ]]

wherein said nut comprises said first critical point and said bridge comprises said second critical point,

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

wherein said a least one anchor is adjacent said nut opposite said second critical point.

Claim 33 (currently amended) Apparatus of claim 23 further comprising:

a nut, and

a bridge,[[ ]]

wherein said nut further comprises said first critical point and said bridge further comprises said second critical point,

wherein said a least one anchor further comprises said nut opposite said second critical point.

Claim 34 (currently amended) Apparatus of claim 23 wherein said at least one ~~additional separate means~~ third portion further comprises an L-shaped ~~lever~~ elongated member.

Claim 35 (currently amended) Apparatus of claim 22 further comprising:

a nut, and

at least one bridge,

wherein said nut further comprises said first critical point and said at least one bridge further comprises said second critical point for said at least one string,

wherein said at least one anchor is adjacent said at least one bridge opposite said first critical point and moveable therewith about said axis that is transverse to said axis of said at least one string.

Claim 36 (currently amended) Apparatus of claim 22 further comprises:including  
a nut, and

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

at least one bridge,  
said nut further comprises said first critical point and said at least one bridge  
further comprises said second critical point for said at least one string,  
said bridge having a surface extending generally in the direction of said  
axis of said at least one string, wherein said at least one anchor further  
comprises said at least one bridge opposite said first critical point.

Claim 37 (currently amended) Apparatus of claim 36 wherein said second critical  
point has at least one location on said at least one bridge, said at least one  
bridge having a curved surface, said at least one bridge being pivotably  
displaceable about said axis that is transverse to the axis of said at least one  
string, said second critical point travels a critical distance on said curved  
surface of said at least one bridge changing said at least one location of said  
second critical point and simultaneously balances establishing the harmonic  
tuning ~~with at~~ said ~~proper~~ playing pitch as said at least one bridge is pivoted by  
~~raising~~ tensioning said at least one string ~~from an untensioned condition to~~ said  
at least one pitch tuning.

Claim 38 (currently amended) Apparatus of claim 37 wherein said tuning adjustment  
device further comprises at least one lock to impede pivoting said at least one  
~~additional separate means~~ third portion in a second direction.

Claim 39 (currently amended) Apparatus of claim 38 wherein said at least one lock  
allows pivoting of said at least one ~~second separate means~~ third portion in said  
first direction while impeding pivoting of said at least one ~~additional separate~~  
~~means~~ third portion in said second direction.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

Claim 40 (currently amended) Apparatus of claim 22[[32]] wherein said at least one third portion further comprises an elongated lever.

Claim 41 (currently amended) Apparatus of claim 39 wherein said tuning adjustment device further comprises a tremolo.

Claim 42 (currently amended) Apparatus of claim 37[[9]] wherein said tuning adjustment device further comprises a fulcrum tremolo.

Claim 43 (currently amended) Apparatus of claim 22[[41]] wherein said tuning adjustment device further comprises a macro-tuner.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

Claim 44 (currently amended) A stringed musical instrument comprising:

a body,  
a neck extending outwardly from said body,  
a head located opposite said body on said neck,  
at least one string extending from said body to said head,  
said at least one string having a first end and a second end,[[ means]]  
a first mechanism on said head for supporting and forming to support and form a  
first critical point for said at least one string,[[ means]]  
a second mechanism on said body for supporting and forming to support and  
form a second critical point for said at least one string,  
said first end secured to said head and said second end secured to said body,  
at least one string anchor located opposite said body on said head, and  
~~wherein said stringed musical instrument comprises~~

a[[n]] tuning adjustment device combining  
a [[means ]] first portion to [[for ]] quickly tension ~~bringing~~ said at  
least one string to ~~proper~~ playing pitch from an  
untensioned condition at said at least one of several preset  
pitch tunings ~~quickly~~,  
~~a separate means~~ second portion whereby to fine tune said at least  
one string ~~is fine tuned~~ at said proper playing pitch, and  
at least one gripping portion intermediate said nut and said at least  
one string anchor for gripping said at least one string,  
wherein said first portion, said second portion, and said at least  
one gripping portion and are in close proximity to each  
other.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett

Claim 45 (currently amended) A stringed musical instrument comprising:

a body,  
a neck extending outwardly from said body,  
a fulcrum tremolo,  
a head located opposite said body on said neck,  
at least one string extending from said body to said head, said at least one string  
having a first end and a second end, ~~means~~ a first mechanism on said  
head ~~for supporting and forming to support and form~~ a first critical point  
for said at least one string, ~~means~~  
a second mechanism on said fulcrum tremolo ~~for supporting and forming to~~  
support and form a second critical point for said at least one string,  
said first end secured to said head and said second end secured to said fulcrum  
tremolo,  
said fulcrum tremolo ~~including further comprising:~~  
a bearing ~~[[means ]]portion for adjustably mounting to adjustably mount~~  
said fulcrum tremolo on said body for pivotal displacement, said  
bearing ~~[[means ]]portion including further comprising~~ at least  
one bearing assembly, said bearing assembly further  
comprising ~~[[es]]~~ at least a portion of a ball bearing surface.

Claim 46 (currently amended) Apparatus of claim 45 wherein said bearing assembly  
~~includes further comprises~~ at least one shaft connected to said fulcrum tremolo.

---

Application: 09/760,908  
Attorney Michael G. Smith

Examiner Lockett